

SUPPLEMENT TO

The Gazette



सत्यमेव जयते

of India

No. 11]

NEW DELHI, SATURDAY, MARCH 17, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 18th February, 1956

				CHOLERA				SMALLPOX				PLAGUE			
				C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
STATES PART (A) AND PART (C)								Assam—Contd.							
Ajmer								(Estd. mid-year pop. 9,817 thousands.)							
TOTAL	Total for w/e 11-2-56	3
(Estd. mid-year pop. 752 thousands.)								Total for w/e 4-2-56
Total for w/e 11-2-56	7-yearly mean for the week	1
Total for w/e 4-2-56								
7-yearly mean for the week	2	1								
Andhra								Bhopal							
Srikakulam	1	TOTAL	3
Visakhapatnam	3	(Estd. mid-year pop. 867 thousands.)							
Godavari East	89	32	Total for w/e 11-2-56	4	1
Godavari West	1	1	Total for w/e 4-2-56	5	1
Krishna	41	2	7 yearly mean for the week
Guntur	33	7								
Nellore	3								
Kurnool	..	52	9	10	3								
Cuddapah	..	3	Patna	12	2
Anantapur	..	2	..	2	1	Gaya	8	4
Chittoor	3	Santal Parganas	1	1
TOTAL	..	57	9	186	46	Hazaribagh	4	2
(Estd. mid-year pop. 21,238 thousands.)								Manbhum	12
Total for w/e 11-2-56	..	95	32	188	49	TOTAL	37	9
Total for w/e 4-2-56	..	185	77	148	25	(Estd. mid-year pop. 42,198 thousands.)							
7-yearly mean for the week	..	142	76	347	72	Total for w/e 11-2-56	48	19
								Total for w/e 4-2-56	58	13
Assam								7-yearly mean for the week	22	9	115	16
TOTAL								

Explanation of Symbols used : C.—Cases ; D.—Deaths ; ..—Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 18th February, 1956—*contd.*

CHOLERA								SMALLPOX								PLAGUE															
C.								D.								C.								D.							
Bombay								Madhya Pradesh																							
Greater Bombay	6	1						Nagpur	101	10																					
Ahmedabad	10	3						Chanda	37																						
Panch Mahal	1	1						Chhindwara	5	1																					
Surat	26	10						Betul	41	3																					
Ahmednagar	7							Bhandara	49	7																					
East Khandesh	29	8						Jabalpur	3	3																					
West Khandesh	6	1						Sagar	13	1																					
Sholapur	45	2						Mandla	4																						
Sabarkantha	10	2						Hoshangabad	26	1																					
Belgaum	2							Balaghat	9																						
Mehsana	10	10						Raipur	1																						
Banaskantha	37	6						Bilaspur	4																						
TOTAL	189	44						Durg	4																						
(Estd. mid-year pop. 39,569 thousands.)								Amravati	1																						
Total for w/e 11-2-56	235	39						Akola	67	13																					
Total for w/e 4-2-56	158	16						Buldana	36																						
7-yearly mean for the week	438	79						TOTAL	401	39																					
								(Estd. mid-year pop. 22,109 thousands.)																							
								Total for w/e 11-2-56	464	94																					
								Total for w/e 4-2-56	242	60																					
								7-yearly mean for the week	14	4	120	21	337	39																	

Explanation of Symbols used : C.—Cases; D.—Deaths ..=Nil. "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 18th February, 1956—*contd.*

CHOLERA								SMALLPOX								PLAGUE															
C.								D.								C.								D.							
Manipur								Tripura								Pondicherry								Uttar Pradesh							
TOTAL								TOTAL								TOTAL								TOTAL							
(Estd. mid-year pop. 613 thousands.)								(Estd. mid-year pop. 706 thousands.)								(Estd. mid-year pop. 15,114 thousands.)								(Estd. mid-year pop. 66,780 thousands.)							
Total for w/e 11-2-56								Total for w/e 11-2-56								Total for w/e 11-2-56								Total for w/e 11-2-56							
Total for w/e 4-2-56								Total for w/e 4-2-56								Total for w/e 4-2-56								Total for w/e 4-2-56							
7-yearly mean for the week								7-yearly mean for the week								7-yearly mean for the week								7-yearly mean for the week							
Orissa								Uttar Pradesh								Punjab (I)								Haryana							
Cuttack								Dehra Dun								Ferozepur								Hisar							
Balasore								Farrukhabad								Jalandhar								Rohtak							
Puri								Kanpur								Ludhiana								Ambala							
Sambalpur								Allahabad								Muzaffargarh								Fatehgarh							
Khandmals								Banaras								Tarnanagar								Gurgaon							
Ganjam Plains								Mirzapur								Bathinda								Gurgaon							
Koraput Bandh								Jaunpur								Moga								Gurgaon							
Keonjhar								Ballia								Ferozepur								Gurgaon							
Dhenkanal								Basti								Ferozepur								Gurgaon							
TOTAL								TOTAL								TOTAL								TOTAL							
(Estd. mid-year pop. 15,114 thousands.)								(Estd. mid-year pop. 66,780 thousands.)								(Estd. mid-year pop. 15,114 thousands.)								(Estd. mid-year pop. 66,780 thousands.)							
Total for w/e 11-2-56								Total for w/e 11-2-56								Total for w/e 11-2-56								Total for w/e 11-2-56							
Total for w/e 4-2-56								Total for w/e 4-2-56								Total for w/e 4-2-56								Total for w/e 4-2-56							
7-yearly mean for the week								7-yearly mean for the week								7-yearly mean for the week								7-yearly mean for the week							

Explanation of Symbols used : C. = Cases; D. = Deaths; .. = Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 18th February, 1956.—concl'd.

CHOLERA						CHOLERA					
SMALLPOX			PLAGUE			SMALLPOX			PLAGUE		
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
ARREAR INFORMATION						Pondicherry					
Travancore-Cochin						<i>w/e 21-1-56</i>					
<i>w/e 4-2-56</i>						TOTAL	9	8	..
TOTAL	6	1	..	<i>w/e 28-1-56</i>					
<i>w/e 11-2-56</i>						TOTAL	14	10	..
TOTAL	1	..	<i>w/e 4-2-56</i>					
Vindhya Pradesh						TOTAL	14	7	..
<i>w/e 11-2-56</i>						<i>w/e 11-2-56</i>					
TOTAL	TOTAL	17	11	..
Jammu & Kashmir						POLIOMYELITIS					
<i>w/e 11-2-56</i>						(Information based on Patients treated in hospitals in important towns)					
TOTAL	Place	Period	Cases			
						Punjab	1-15 February 1956	9 (Paretic)			

Explanation of Symbols used : C. = Cases; D. = Deaths .. = Nil.

NEW DELHI-2 (INDIA) ;

The 12th February, 1956.

K. MITRA,

for Registrar General, India

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

• YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 18th February, 1956

Deaths from :—														
Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
STATES—(Parts A and C)														
Ajmer														
"N.R."														
Andhra														
Adoni†														
Anantpur	38	3	..	9	12.3	2	
Anakapalli	46	25	28.3	2	1	1	..	7	7.9	3	
Bhimavaram	36	19	27.4	1	..	2	..	9	13.0	4	
Chirala	43	28	33.9	3	11	13.3	5	
Chittoor	45	25	28.9	2	2	2	1	17	19.7	6	
Cuddapah	42	17	21.1	1	3	3	1	16	19.8	5	
Eluru	99	29	15.2	..	3	..	1	..	6	..	38	20.0	8	
Gudivada	36	10	14.4	3	..	1	..	7	10.1	3	
Guntur	147	88	31.2	..	2	..	5	3	3	1	38	13.5	11	
Guntakal	37	24	33.7	2	..	2	..	6	8.4	1	
Kakinada†														
Kurnool	68	72	55.1	1	3	..	4	..	24	18.4	4	
Masulipatnam	88	63	37.2	4	2	1	..	28	16.6	13	
Nandyal	37	12	16.9	1	..	4	5.6	..	
Nellore	15	74	40.5	5	4	45	24.6	20	
Proddatur	42	25	31.0	2	2	..	10	12.4	1	
Rajahmundry	122	54	23.0	..	2	..	5	1	2	..	48	20.5	10	
Tenali	67	52	40.4	3	1	21	16.3	5	
Vijayavada	201	119	30.8	..	1	..	6	2	3	..	35	9.1	9	
Visakhapatnam	128	101	41.0	5	1	23	..	53	21.5	11	
Vizianagaram	75	38	26.3	—	..	—	2	1	3	1	24	16.6	6	
TOTAL	1,492	875	30.5	1	8	..	53	23	62	4	450	15.7	127	
Assam														
Gauhati	62	5	4.2	2	9	7.5	2	
Dibrugarh	46	3	3.3	
Silchar	43	17	23.5	1	3	3.6	1	
TOTAL	151	25	8.6	3	1	12	4.1	3	
Bhopal														
Bhopal City	116	47	21.1	3	3	1.3	..	
Bihar														
Bombay														
Delhi State														
"N.R."														
Madhya Pradesh														
Achalpur	38	22	30.1	7	2	1	..	19	25.3	4	
Akola	104	38	19.0	..	3	..	5	3	15	7.5	4	
Amravati	101	84	43.2	2	1	1	..	17	8.7	2	
Bilaspur	40	31	50.7	2	12	15.6	3	
Burhanpur	79	61	40.2	7	..	1	..	15	9.9	..	
Chanda†														

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); —N/I—information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 18th February, 1956—*contd.*

Town	Mid-year Popn.-Est. (000)	Deaths from :—											Total	D.R.*	I.D.	
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.						
Madhya Pradesh—contd.																
Chindwara†																
Damoh	42	20	24·8	3	6	7·4	..			
Gondia	45	13	15·0	5	1	10	11·5	2			
Hinganghat†																
Jabalpur†																
Khandwa	59	25	22·0	3	1	4	..	11	9·7	..			
Khamgaon†																
Kamptee	36	19	27·4	6	10	14·4	..			
Murwat†																
Nagpur	528	118	11·6	..	4	..	12	6	14	..	76	7·5	..			
Sagar	75	27	18·7	..	2	..	7	9	6·2	..			
Raipur†																
Raigarh†																
Wardha†																
Yeotmal	41	23	29·2	3	3	10	12·7	5			
TOTAL	1,188	481	21·1	..	9	..	53	16	31	..	210	9·2	20			
Madras																
Ambur	44	31	36·6	5	2	15	17·7	6			
Aruppukottai	56	24	22·3	2	2	1	..	14	13·0	4			
Bodinayakanur	40	25	32·5	2	9	11·7	3			
Cannanore	47	24	27·0	..	1	..	2	2	8	9·0	2			
Chidambaram	39	41	54·7	1	1	9	12·0	2			
Coimbatore	234	144	32·0	1	8	21	2	109	24·2	20			
Cuddalore	74	46	33·2	2	2	1	..	22	15·9	4			
Dindigul	90	53	30·6	1	1	3	..	18	10·3	1			
Erode	67	43	33·4	1	..	2	..	11	8·5	4			
Gobichetty †																
Palayam	38	14	19·2	3	4·1	..			
Guddiyattam	53	16	15·7	1	3	1	..	9	8·8	4			
Kancheepuram	90	49	28·3	4	12	1	..	23	16·8	10			
Karaikudi	44	18	21·3	1	1	12	14·2	1			
Karur	50	21	21·8	3	1	1	1	23	23·9	2			
Kozhikode	176	205	60·6	2	4	95	28·1	13			
Kumbakonam	105	60	29·7	3	22	10·9	5			
Madras	1,703	1,137	34·7	78	108	158	2	706	21·6	189			
Mangalore	136	59	22·6	2	4	2	..	38	14·5	5			
Mathurai	427	343	42·6	6	20	44	..	179	21·9	51			
Mayuram	49	24	23·5	3	20	21·2	3			
Nelapalayam	41	17	22·0	1	3	12	15·2	4			
Nagapattinam	60	44	38·1	1	1	1	..	18	15·6	5			
Ootacamund	48	28	30·3	2	3	10	10·8	4			
Palani	40	16	20·8	1	6	13	16·9	4			
Palayamkottai	45	35	40·4	2	1	..	1	15	17·3	2			
Palghat	77	56	38·8	1	8	5·4	1			
Periyakulam	34	22	33·6	2	2	10	15·3	3			
Pollachi	51	39	39·8	1	3	1	..	16	16·3	4			
Pudukottai	50	57	59·3	1	4	1	..	18	18·7	..			
Rajapalayam	69	21	15·8	3	3	2	..	17	12·8	3			
Salem	241	130	28·1	8	7	11	1	59	12·7	7			
Srirangam	42	46	57·0	1	1	3	..	13	16·1	6			
Srivilliputtur	44	27	31·9	2	1	1	1	14	16·5	7			

* In cases of towns where there has been an abnormal movement of population it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I. D.—Infantile Deaths (included in total deaths) ; ..=Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 18th February, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madras—contd.													
Tanjore	118	107	47.2	4	1	5	2	55	24.2	12
Tellicherry	42	37	45.8	1	..	15	18.6	2
Tiruchirappalli	251	257	53.2	5	9	9	..	110	22.8	21
Tirunelveli	80	50	32.5	2	6	..	22	14.3	5
Tiruppur	63	42	34.7	4	..	11	9.1	4
Tiruvannamalai	45	16	18.5	2	3	2	..	10	11.6	2
Tuticorin	111	71	33.3	..	1	6	4	1	30	14.1	13
Vaniyambadi	43	21	25.4	2	1	2	..	6	7.3	1
Vellore	124	98	41.1	2	4	12	1	52	22.2	16
Villupuram	39	47	62.7	1	1	3	1	16	21.3	4
Virudunagar	53	39	38.3	1	1	1	..	12	11.8	5
TOTAL	5,373	3,702	35.8	..	2	..	143	215	341	18	1,913	18.5	464
Orissa													
Berhampur	72	100	72.4	4	2	3	..	19	13.8	5
Cuttack	117	138	61.6	—	—	—	5	1	7	..	43	39.4	5
Puri	53	48	47.2	—	10	2	1	..	40	19.2	10
TOTAL	242	286	61.5	—	—	..	19	5	11	..	102	21.9	20
Punjab (I)													
Ambala	65	50	40.2	1	1	7	..	15	12.1	4
Amritsar	343	272	41.5	2	18	..	65	9.9	22
Batala	62	35	29.5	5	—	1	..	7	5.9	..
Bhiwani	57	45	41.3	..	5	..	7	1	18	16.5	3
Perozepore	45	31	36.0	3	..	6	7.0	1
Hissar	39	26	34.9	1	..	3	..	6	8.0	3
Hoshiarpur	51	27	27.7	1	6	6.2	2
Jullundur	200	102	26.7	3	..	5	..	16	4.2	3
Karnal	72	39	28.3	3	..	4	2.9	..
Ludhiana	176	161	47.8	17	..	3	..	45	13.4	13
Moga	41	15	19.1	1	..	1	..	4	5.1	1
Panipat	64	30	24.5	2	..	2	..	10	8.2	3
Pathankot	34	37	56.9	4	..	5	7.7	3
Rewari	36	16	23.2	2	..	2	..	4	5.8	2
Rohtak	105	58	28.9	3	..	2	..	13	6.5	4
Simla	50	23	24.1	1	..	5	5.0	..
Sonapat	34	20	30.8	..	—	..	2	..	2	..	4	6.2	2
TOTAL	1,474	987	34.8	..	5	..	44	4	57	1	233	8.2	66
Uttar Pradesh													
Agra	375	243	33.9	5	46	..	76	10.6	22
Allahabad	349	180	27.0	1	22	1	55	8.2	9
Amroha	61	62	53.1	1	1	7	..	20	17.1	7
Bahraich	47	17	18.9	5	..	2	..	13	14.5	4
Banaras	383	311	42.4	..	2	..	67	5	23	..	205	28.0	51
Balla	35	13	19.4	..	1	1	1.5	..
Banda	32	10	16.3	1	1	1.6	1
Barilly	203	112	28.8	5	..	16	..	31	8.0	5
Bljnor	32	12	19.6	1	..	1	..	4	6.5	..
Budaun	54	39	37.8	1	..	6	..	12	11.6	2
Basti †													
Bulandshahr†													

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R. = Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R. = Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 18th February, 1956—*contd.*

Town	Mid.-year Popn.-Est. (000).	B.	Deaths from 1—											Total	D.R.*	I.D.
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.						
Uttar Pradesh— contd.																
Chandaul	41	26	33.0	1	1	1	..	6	7.6	2			
Dehra Dun	146	72	25.8	..	1	..	1	..	5	1	19	6.8	4			
Etawah	64	44	35.9	9	..	4	..	18	14.7	4			
Faizabad-Ayodhya	88	50	29.7	3	..	2	..	12	7.1	4			
Farrukhabad-Fatehgarh	82	61	38.9	5	3	5	..	22	14.0	5			
Perozabad	79	39	25.8	2	11	7.3	2			
Gazlabad	46	40	45.5	3	5	5.7	2			
Gazipur	36	28	40.7	5	2	12	17.4	..			
Gorakhpur	140	57	21.3	5	2	5	..	22	8.2	5			
Gonda	35	9	13.4	2	2	3.0	..			
Jhapur	49	42	44.8	3	..	1	..	5	5.3	4			
Hardwar	64	16	21.2	6	..	14	11.4	2			
Hathras	62	46	38.8	11	..	2	..	18	15.2	6			
Jaunpur	56	25	23.3	3	..	5	..	12	11.2	1			
Jhansi	116	67	30.2	20	1	25	11.3	4			
Kanpur	734	413	29.4	113	21	42	7	313	22.3	79			
Kasganj	34	16	24.6	1	3	4.6	..			
Khurja	41	20	25.5	1	..	1	..	5	6.4	1			
Koll-Allgarh	150	72	25.1	2	1	3	..	16	5.6	..			
Lucknow	494	335	35.4	14	2	34	3	127	13.4	26			
Mathura	110	57	27.1	6	..	4	..	14	6.6	1			
Mau-Nath Bhanjan	38	40	55.0	..	19	..	2	30	41.3	8			
Meerut	185	110	31.1	5	1	4	..	16	4.5	6			
Mirzapur-Vindhyachal	97	53	28.6	..	2	..	6	..	5	..	24	12.9	10			
Moradabad	64	120	38.2	4	1	21	..	40	12.7	3			
Muzaffarnagar	74	32	22.6	4	..	4	..	17	12.0	6			
Pilibhit	45	41	47.6	3	..	2	..	6	7.0	1			
Rampur †																
Saharanpur	162	99	31.9	26	39	12.6	11			
Sambhal	65	49	39.4	6	2	8	..	17	13.7	4			
Shahjahanpur	99	70	28.7	4	..	4	..	8	3.3	5			
Sitapur	49	26	27.6	5	..	1	..	9	9.6	3			
TOTAL	5,216	3,184	31.7	..	25	..	356	49	292	12	1,305	13.0	213			

West Bengal

"N.R."

STATES—(Part B)**Jammu & Kashmir**

"N.R."

Madhya Bharat

Greater Gwalior	273	76	14.1	4	..	1	..	14	2.7	2
Indore	368	171	24.2	20	1	15	1	86	12.2	25
Ujjain	156	46	15.3	..	2	..	8	34	11.3	..
Ratlam	73	16	11.4	3	..	1	1	19	13.5	1
Mandsaur	41	4	5.1
TOTAL	911	313	17.9	..	2	..	35	1	17	2	153	8.7	28

Mysore

Bangalore	977	443	23.6	7	34	63	..	79	4.2	..
Mysore	294	171	30.2	11	6	3	..	62	11.0	..
Kolar Gold Fields	173	77	23.1	2	8	6	..	41	12.3	..
Hospet	45	31	35.8	1	..	1	..	10	11.5	..
Davangere	69	48	36.2	4	7	5.3	..
TOTAL	1,558	770	25.7	26	48	73	..	199	6.6	..

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 18th February, 1956—*contd.*

Death from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	DD.	R.D.	M.D.	Total	D.R.*	I.D.
PEPSU													
Patiala City	111	108	50.6	7	..	4	1	25	11.7	7
Malerkotla	34	31	47.4	5	..	2	..	10	15.3	..
Bhatinda	39	17	22.7	1	..	2	..	3	4.0	2
TOTAL	184	156	44.1	13	..	8	1	38	10.7	9
Rajasthan													
Alwar†													
Bharatpur†													
Bikaner	117	50	22.2	1	2	9	1	20	8.9	1
Churu	48	8	8.6	1	1.1	..
Ganganagar	47	3	3.5	..	1	..	1	..	1	..	3	3.5	..
Tonk	45	2	2.3	3	3.5	..
Kotah	72	17	12.3	..	1	..	4	..	3	1	14	10.1	2
Sikar†													
Jaipur	353	49	7.2	12	6	12	..	58	8.5	14
Udaipur	106	17	8.3	2	..	7	3.4	..
Jodhpur†													
TOTAL	720	146	10.5	..	2	..	18	8	27	2	106	7.7	17
Travancore-Cochin													
Alleppey	148	86	30.2	6	2.1	1
Changanacherry	41	32	40.6	1	2	1	..	14	17.8	3
Ernakulam	70	47	34.9	1	16	11.9	1
Kottayam †													
Mattanchery	85	72	44.1	..	1	..	2	12	7.3	2
Nagercoil	94	42	23.2	1	1	10	5.5	..
Quilon	75	153	106.1	2	2	3	..	39	27.0	3
Trichur	76	39	26.7	..	1	9	6.2	2
Trivandrum City	218	187	44.6	..	1	..	4	..	3	..	40	9.5	4
TOTAL	807	658	42.4	..	3	..	11	5	7	..	146	9.4	16
Saurashtra													
Bhavnagar	157	69	22.8	9	3	4	..	43	14.2	4
Dhoraji	47	19	81.0	3	6	6.6	..
Gondal	41	31	39.3	5	11	13.9	..
Jamnagar†													
Jamnagadh	65	41	32.8	11	2	2	..	29	23.2	8
Morvi	43	13	15.7	1	1	3	3.6	3
Porbandar	64	50	40.6	9	..	1	..	14	11.4	8
Rajkot	167	61	19.0	13	2	7	..	35	10.9	3
Surendranagar	42	10	12.4	2	..	1	..	6	7.4	..
Veraval	46	7	7.9	2	2.3	..
TOTAL	672	301	23.3	53	8	15	..	149	11.5	27

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates

†Figures not available

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil information ; "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 18th February, 1956—concl'd.

Deaths from :—

Town	Mid-year Popn.-Est. (000)	B	B.R.*	C	S	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Hyderabad													
Aurangabad	73	7	5.0
Bldart†
Gulberga	90	6	3.5	3	1	3	1	11	6.4	..
Hyderabad City	1,057	357	17.6	19	2	6	1	77	3.8	8
Jainat†
Kothagudiam	71	43	31.5	2	11	8.1	..
Latur	41	2	2.5	1	..	1	..	2	2.5	..
Nanded	80	16	10.4	8	8	5.2	..
Nizamabad	67	21	16.1	2	..	3	..	6	4.6	1
Parbhani	40	3	3.9	..	1	..	2	..	1	..	5	6.5	1
Rajchur†
Secunderabad City	162	128	41.1	1	3	9	..	32	10.3	7
Warangal†
TOTAL	1,681	583	180	..	1	..	36	8	23	..	152	4.9	17

ARREAR RETURNS

Travancore-cochin

For w/e 4th February 1956

Alleppey	148	115	40.4	5	..	2	1	37	13.0	5
Changanacherry	41	23	29.2	1	..	1	..	6	7.6	2
Ernakulam	70	44	32.7	2	14	10.4	1
Kottayam	50	16	16.6	1	1	1.0	..
Mattanchery	85	65	39.8	1	..	13	8.0	2
Nagercoil	94	48	26.6	1	2	..	12	6.6	3
Quilon	75	86	59.6	1	19	13.2	3
Trichur	76	60	41.1	9	6.2	2
Trivandrum City	218	734	175.1	7	..	1	4	36	8.6	4
TOTAL	857	1191	72.3	13	4	6	6	147	8.9	22

For w/e 28th January 1956

Changanacherry	41	20	25.4	4	5.1	..
Kottayam	50	42	43.7	1	..	2	..	20	20.8	3

For w/e 11th February 1956

Alleppey	147	136	82.9	2	3	2	..	30	10.5	4
Changanacherry	41	51	64.7	3	2	..	1	14	17.7	3
Ernakulam	70	52	38.6	1	2	21	15.6	5
Kottayam	50	25	26.0	1	..	3	..	9	9.4	2
Mattanchery	85	59	23.9	1	1	18	11.0	..
Nagercoil	94	45	24.8	5	1	22	12.2	4
Quilon	75	75	52.0	2	12	8.3	4
Trichur	76	44	30.1	1	9	6.2	..
Trivandrum City	218	52	12.4	1	3	2	..	43	10.3	2
TOTAL	857	519	31.5	15	14	7	1	178	10.8	24

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficient by reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :— B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); .. = No information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 18th February, 1956, relate to 187 towns with an estimated population of 21,785 thousands. The total number of towns is 317 and their population is 41,516 thousands. Thus 59% of the total number of towns representing 52% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 12,514 and 5,171 representing birth and death rates of 29.9 and 12.3 per thousand of population respectively.

(A) States (Parts A and C) —The data here relate to 141 towns with an estimated population of 15,252 thousands. Information about Ajmer, Bihar, Bombay, Delhi and West Bengal could not be included. The total number of towns is 152 and their population is 33,432 thousands. Thus 56% of the total number of towns representing 46% of the total population is covered. The number of births and deaths recorded

in these towns were 9,587 and 4,228 representing birth rates and death rates of 32.7 and 14.4 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(B) States (Part B).—The data here relate to 46 towns with an estimated population of 6,533 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 71% of the total number of towns representing 81% of the total population is covered. The number of births and deaths recorded in these towns were 2,927 and 943 representing birth and death rates of 23.3 and 7.5 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 18-2-56		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Andhra	26.3	16.6	19.7	12.4	†	†
Madhya Pradesh	21.1	9.2	23.5	10.5	27.2	13.2
Madras	35.8	18.5	33.8	18.9	†	†
Orissa	61.5	21.9	58.2	24.6	42.9	23.4
Punjab	34.8	8.2	32.1	6.8	28.4	9.6
Uttar Pradesh	31.7	13.0	28.0	10.6	30.0	13.7
India*	32.7	14.4	28.2	11.3	29.1	14.9

*Only 6 Part A States.

† Figures not available.

DELHI-2 (INDIA) ; }
12th March, 1956. }

K. MITRA,
for Registrar General, India.